

## BTS Aluminium



Metal ve PVC San. ve Tic. Ltd. Şti.



























( E INSPECCO







Ekin Aluminium is a first-class company which provides installation and production of commercial and domestic;

- shower screens
- balustrades
- wardrobes
- mirrors
- splash-backs
- office partitions
- aluminium windows & doors
- and many more aluminium based goods.

For the past 10 years, Ekin Aluminium have been providing an exceptional service for all of its clients. This includes the sustainability of its products and its friendly customer service.

Ekin Aluminium is regarded as Melbourne's pioneer in aluminium based goods and provides pre-sale and after-sale support.

Our company which has as principles the full customer's satisfaction, best service and high quality in products is exporting the %75 of it's production. We are giving enormous importance to develop continously new products in order to give the best service in this field.

Our company as Ekin Aluminium is honored by quality certificate of ISO 9001-2008. As we are being Ekin Aluminium, we are communicating with our esteemed partners through our professional crew and systems with finding fast solutions, responding to demands and supporting until the time of delivering products.

The product demands which we are receiving from you, we are manufacturing very sensitively in our latest technological machines and making them ready for delivery. We are providing to deliver our goods without any problem with the latest developed packaging systems. We are dispatching our goods to every destination in domestic market very easily and dispatching to every destination in international markets with the ways of road transport, sea transport, railway transport and air transport.















## C50

On-Floor Glass Supporting System

Page  $\rightarrow$  04-09



## C70

On-Floor Supporting System with Glass Angle Adjustment

Page  $\rightarrow$  10-11



## C50 :: LED:

On-Floor Glass Supporting System

Page  $\rightarrow$  12-13



## **CA50**

In-Floor Glass Supporting System

Page  $\rightarrow$  14-17



## CX50

On-Floor Glass Supporting System

Page  $\rightarrow$  18-19



## **AS50**

On-Floor Glass Supporting System

Page  $\rightarrow$  20-21



## **FX50**

Side Fix System

Page  $\rightarrow$  22-25



## **NX50**

Satin Finish Glass Railing System

Page  $\rightarrow$  26-27



## **RS50**

On-Floor Glass Supporting System

 $\mathsf{Page} \to \mathsf{28}\text{-}\mathsf{29}$ 



## DESIGN RX50

On-Floor Glass Supporting System

Page  $\rightarrow$  30-31



#### **CL50**

On-Floor Glass Supporting System


Page  $\rightarrow$  32-33



#### M50

Dual Use System

Page  $\rightarrow$  34-35



**D50** 

Side Mount Staircase Type Glass Railing

Page  $\rightarrow$  36-37



**D55** 

Bendable Side Fix Glass Railing System

Page  $\rightarrow$  38-39



**R50** 

On-Floor Glass Supporting System

Page  $\rightarrow$  40-41



**B50** 

**Curved Type** 

Page  $\rightarrow$  42-43



**AL50** 

External Glass Supporting System

Page  $\rightarrow$  44-45



**S40** 

On-Floor Glass Supporting System (Economic Type)


Page  $\rightarrow$  46-47



**S40E** 

On-Floor Glass Supporting System (Economic Type)

Page  $\rightarrow$  48-49



Vista200

Square Post System

Page  $\rightarrow$  50-51



Vista300

Spigot Systems

Page  $\rightarrow$  52-53



Vista400

Short Post Glass Railing System

Page  $\rightarrow$  54-55



Vista420

Square Short Post Glass Railing System

Page  $\rightarrow$  56-57

F55

Balcony Glazing System on Frameless Glass Railing System

Page  $\rightarrow$  58-59









Mass: 9.89846 kg Volume: 0.000517958 m³ Density: 2700 kg/m³ Weight: 13.7052 N

0.101

0.086

0.072 0.058 0.043 0.029 0.014 1.000e-030 Alloy EN AW 6063 Stress and relocation results on 1mt base profile with 1 tone (10.000 nt) horizontal load to the highest surface of the profile.





13,52



Packaging



C50 Sample Box




Metal ve PVC San. ve Tic. Ltd. Şti.



Screw


#### 








#### ↓ System Covers







#### Endcaps



Code: C50-6549K



Code: C50-6577K



Code: C50-6596K



Code: C50-6549BK






# ELEGANT SERIES C50






Code: C50-6549D 90° Corner





Code: C50-6548/45DG




Code: C50-6548/90DG



Code: C50-6549-90A



Code: C50-6549-90B




#### 



Code: C50-6549B




Code: C50-6596B








#### ↓ Montage Details







# **ELEGANT** SERIES

#### ↓ Led light supporting profile



Code: C50-6961 Led light supporting profile














Code: C70-8401


# ELEGANT SERIES

We know, the grounds are not flat everytime! Here is the solution! BTS Aluminium means innovation! The revolution in glass railing system! Glass angle adjustable glass railing base shoe! BTS Elegant C70 system is the most simple and smart solution for adjusting the glass in base shoe. First place the glass and adjust the angle with moving wedge. Then, lock the glass with magic pack inside aluminium base shoe. Adjusting the glass has not been so easy like this before!

- Angle Adjusting possibility on glassSmart & Easy
- Aesthetic Design
- Easy Installation



2016/18678 Filed for international patent










### with Glass Angle Adjustment










#### ↓ System Covers




#### ↓ Montage Details



















0.144 0.130 0.115 0.101 0.086 0.072

0.058

0.043


0.029

0.014

# ELEGANT SERIES CASO

Mass: 9.89846 kg Volume: 0.000517958 m³ Density: 2700 kg/m³ Weight: 13.7052 N Alloy EN AW 6063 Stress and relocation results on 1mt base profile with 1 tone (10.000 nt) horizontal load to the highest surface of the profile.








#### ↓ System Components




#### ↓ System Covers



#### 




Code: CA50-6557






Code: CA50-6830 Height adjustable U case profile






Code: CA50-6831 Height adjustable U case profile support






↓ Montage Details

# ELEGANT SERIES CASO









System Components




#### ↓ System Covers



Code: CX50-7646




















System Components

ELEGANT SERIES AS50











**↓** Endcaps




PVC Protection sheets

System Covers










Code: PR-7621









- The best solution for external connection typesUnlimited view
- Aesthetic designEasy cleaning












# 

48,5


# ELEGANT SERIES FX50




Mass: 5.20198 kg Volume: 0.00192666 m³ Density: 2700 kg/m³ Weight: 50.9794 N Alloy EN AW 6063 Stress and relocation results on 1 m. base profile with 500 kg horizontal load to the highest surface of the












✓ Montage Details

# ELEGANT SERIES FX50












# 

The newest, most beautiful and elegant type of glass railing. It's name is NX50. It is differing from other models because of it's satin finish brushed surface. For satin finish brushed surface, you have to use continous aluminium supporting profile and closing the installation details with upper covers. The cover profiles are also coming with satin finish brushed surface. You can also use glass supporting blocks in 15 cm parts then you can close the blocks with satin finished brushed surface aluminium covers. The system has two possibilities for installation according to your wishes. Part by part installation or continous profile installation. However it's difference than others is satin finish surface which is providing beautiful view on your projects.

- Satin Finish Brushed Surface Option
- Elegant Design
- Easy Installation
- Part by Part Supporting Option
- Unlimited View
- Possibility to use heavy duty anchors








#### System Components

# 








System Covers


24,3

Code: NX50-7884


Code: NX50-7885








Code: NX50-7883-3M










You can watch the installation video of this system on Youtube BTS Aluminyum TV Channel.















Code: RS50-7002







Code: RS50-7002K

Code: RS50-7001B

Code: RS50-7002B


Code: RS50-7001K


29←



RX50-7334










Code: RX50-7334

Montage Details




Projection distance of system Neigung Distance de procection du système



Code: RX50-7336K

Code: RX50-7336



15 cm

Code: RX50-7335



Code: RX50-7334/30

30 cm



Code: RX50-7336K





You can watch the installation video of this system on Youtube BTS Aluminyum TV Channel.









Metal ve PVC San. ve Tic. Ltd. Şti.




101.7


Code: CL50-7276




↓ Montage Details

# ELEGANT SERIES C L 50







Code: CL50-7277K Code: CL50-7279K



You can watch the installation video of this system on Youtube BTS Aluminyum TV Channel.










35←

## EA EKIN ALUMINIUM




You can watch the installation video of this system on Youtube BTS Aluminyum TV Channel.



#### $\rightarrow$ Detail of linear profile application



#### $\rightarrow$ Detail of piece by piece application



### **ELEGANT** SERIES



D50 is the side mount staircase type glass railing system. It's bringing easy application details, aesthetic view and durability concepts together in high standard projects. It has in piece application and linear application choices. Also adjusting fixtures are helping to alignment of system. By this way, BTS Elegant systems are adding new type to it's product range.





#### 

## **ELEGANT** SERIES



Code: D50-7272

Code: D50-7272-L2M 2 m Standard Support Profile




Code: D50-7272-A 15 cm Adjustable Block



1x(200 cm) PVC Protection sheets 6x(15 cm) Plastic wedge

4x(10x150 mm)

Anchor screw



Code: D50-7272-AL2M 2 m Standard Adjustable Support Profile

Distant mounting according to marble distance

Direct mounting to the side Wall







ELEGANT SERIES 55

D55: The new type of Side Fix Glass Railing model in Elegant Systems. D55 Side Fix glass railing model is also coming with easy installation steps and it can be used in curved areas. It has two application options such as part by part supporting or continous profile supporting. For curved areas, it is coming like ready bended profile. The main support profile is bended according to the radius dimensions in your projects and you can directly fix the profile to the

The cover profiles are also suitable for bending and it is closing all installation details with it's smooth, anodized and ral coated surface... D55 Side Fix Glass railing is also having highest sturdiness that you can install with full confidence.


- Suitable For Curved Areas
- Bended Aluminium Glass Supporting Profile
- Easy Installation
- Part by Part Supporting option
- Unlimited View
- Best Solution for Side Fix Glass Railing












#### ↓ Montage Details









#### System Components



#### ↓ System Covers



#### **↓** Endcaps



#### ↓ Montage Details

Code: R50-5005

Code: R50-5005

Code: R50-5005

Code: R50-5005

Code: R50-5005

Code: R50-5005

Metal ve PVC San. ve Tic. Ltd. Şti.







# ELEGANT SERIES B50

#### **CURVED TYPE**


Elegant railing system which has on-floor, in-floor, external facade connection types, it also coming into prominence with curved system. It has the same logic wth Elegant C50 but it is designed for curved areas.









#### System Components



↓ System Covers
 ↓ Endcaps



↓ Montage Details








# ELEGANT SERIES A L 50

AL50 model is an alternative solution to the external connection system. It's montage is very easy with a fixing accessory. It enriches the view of balconies and stairs and expands the areas.

- Easy montage
- Aesthetic view
- Unlimited view
- 16 20 mm Glass Options













#### ↓ Adjustable Spider Type





#### Installation Guide on Glass ( Hole Drilling Dimensions)







(Economic Type)

#### ↓ System Components



Code: S40-6981



M6 Set Screw



Plastic Cap




PVC Protection sheets





You can watch the installation video of this system on Youtube BTS Aluminyum TV Channel.







Code: S40-6981K





AK-5146 Glass Fixing Accessory



Code: PR-5148 On-Glass Profile











#### (Economic Type)


#### ↓ System Components







Code: S40E-7015K





Code: PR-5148
Glass Fixing Accessory







Code: AK-7116F







# ttant series Vista200







↓ System Components





Post Endcap Types








Code: AK-7132D Flat



Code: AK-7132U




Code: AK-7132C



#### 

### ELEGANT SERIES VISTA 200







# ELEGANT SERIES Vista300

New Elegant serie Vista300 is serving newest, minimalist, aesthetic, simple and economic glass railings to your projects. Vista 300 spigots are designed for especially swimming pools, outdoor separation, garden separations. Vista300 spigots bring time, value, aesthetic and difference to your projects with advantages of easy installation.


































# CLEGANT SERIES Vista 300



















60


























## ELEGANT SERIES VISTA400

Vista Series are still going on with innovations! V400 and V420 models are very assertive to be the most popular models in Vista Series! V400 has round type of posts but short. Each post for glass railing is 60cm. You can use one post between each glass or you can use one post in every two glasses. The glasses are also fixed between handrail and bottom profile. The shortness of the posts are providing unlimited view when you are sitting on your chair. V400 is also used for glass partiations. The posts are also produced in 100 cm height and 150 cm height. You can fix high glasses with high posts. It has two types of ground fixings which are fixing with base plate with long concrete screws or long anchorage iron. The glass thickness is 4+4 in V400 series! Elegant, Sturdy and Cost Friendly system, V400.

- 60 cm, 100 cm, 150 cm Post Options
- 4+4 Laminated and Tempered Glass use
- Ready Product
- Easy Installation
- Cost Friendly



## EA EKIN ALUMINIUM

















## ELEGANT SERIES VISTA420



Vista Series are still going on with innovations! V400 and V420 models are very assertive to be the most popular models in Vista Series. V420 has square type of posts but short. It's fully square designed. Each post for glass railing is 60 cm. You can use one post between each glass or you can use one post in every two glasses. The glasses are also fixed between handrail and bottom profile. The shortness of the posts are providing unlimited view when you are sitting on your chair. V420 is also used for glass partiations.

The posts are also produced in 100 cm height and 150 cm height. You can fix high glasses with high posts. It is connecting to the ground with long anchorage iron which is also coming with ready posts. You only drill the ground and fix the ready post on anchorage iron. The glass thickness is 4+4 in V420 serie! Elegant, Sturdy and Cost Friendly system, V420...

- 60 cm, 100 cm, 150 cm Post Options
- 4+4 Laminated and Tempered Glass use
- Square Design
- Ready Product
- Easy Installation
- Cost Friendly








## ELEGANT SERIES VISTA420 50 40 h:150 cm Code: PR-7979 AK-FT10 Rubber AK-5145 Endcap for PR-7592 Code: PR-7592 h:100 cm Code: AK-7979B Top Rail Connector Code: AK-7979D Top Rail Corner Code: AK-7979TA Top Rail Endcap Code: AK-7979F Top Rail Wall Connector Code: V420 Code: V420-100 Code: V420-150 PR-7979 AK-7979K 4+4 mm Glass V420 PR-7592






































BTS RAILINGSystems










## SQUARE LXZO










PR-8184













You can watch the installation video of this system on Youtube BTS Aluminyum TV channel.

























#### The Profiles and Accessories Shown in the System































BALCONY GLAZING SYSTEM ON FRAMELESS GLASS RAILING SYSTEM


# ELEGANT SERIES F55

F55 is the solution to create unlimited view on your balconies.


It combines the balcony glazing system with Elegant C50 system with using a single profile on glass.




You can watch the installation video of this system on Youtube BTS Aluminyum TV Channel.



#### **Profiles**










ELEGANT SERIES F55

BTS-15000 BTS-15002 BTS-15015 67



Metal ve PVC San. ve Tic. Ltd. Şti.

On glass profile for 12 mm safety glass with gasket inside




Code: PR-6948/12



On glass profile for 16 mm safety glass with gasket inside

Code: PR-6948



On glass profile for 20 mm safety glass with gasket inside

Code: PR-6948/20




Code: PR-6423/12




Code: PR-6423




Code: PR-6423/20



Code: PR-7271/12



Code: PR-7271



Code: PR-7271/20



Code: PR-6539/12



Code: PR-6539



Code: PR-6539/20



Code: PR-6832/12



Code: PR-6832



Code: PR-6832/20



Code: PR-6540/12



Code: PR-6540



Code: PR-6540/20



Code: PR-7426




Code: PR-6728





Code: PR-6936


#### 














Code: PR-7800

Code: PR-6528

Code: PR-7979

Code: PR-7915

## EA EKIN ALUMINIUM



Code: AK-6948D



Code: AK-6948B



Code: AK-6948F



Code: AK-6948TA





Code: AK-6423F



Code: AK-6423B



Code: AK-6423D



Code: AK-6423TS



Code: AK-7271B



Code: AK-7271D



Code: AK-7271TA



Code: AK-7271F



Code: AK-6539F



Code: AK-6539D



Code: AK-6539B



Code: AK-6539TA



Code: AK-6539C



Code: AK-6832F



Code: AK-6832B



Code: AK-6832D



Code: AK-6832T






















Code: AK-6728F



Code: PR-6425



Code: PR-6424



Code: PR-5900



Code: PR-7304



Code: PR-8092



Code: PR-8052



Code: PR-8093

#### BTS Aluminium



Metal ve PVC San. ve Tic. Ltd. Şti.



AK-5017A 50 mm Tube & Glass Connection



AK-50320 50 mm Tube & Glass Connection



AK-5090 50 mm Tube & Glass Connection



AK-5009 Endcap for 50 mm Tube




Application of AK-5017A



Application of AK-50320



Application of AK-5090



AK-5073 Hitting Part for Plastic Wedge




AK-5037
50 mm Tube Profile Wall Connection



AK-5146 Glass Fixing Accessory



AK-5075 On Glass Profile Gasket



AK-5072 Glass Fixing Accessory

#### Zubehör / Accéssoires



AK-5076 Glass Suction Lifter



AK-5027T Chemical Silicon and Plug Pistol



AK-5027P



AK-E5080 Elegant C50 Sample Box



AK5027K Chemical Anchor



AK-5077 Silicon



 $\begin{array}{c} AK\text{--}5078 \\ \text{Cleaning Spray for Aluminium Surface} \end{array}$ 



AK-5027D Adhesive for Aluminium



AK-5027 Marble & Stone Adhesive



AK-5027C Drilling Core



AK-5079 Cutting Machine



AK-5079T

#### **↓** Inox Accessories



BTS-NX5017A



BTS-NX5019



BTS-NX5019A



BTS-NX5032



BTS-NX5007



BTS-NX5009Y



BTS-NX5009




















































































































Wind Tunnel (Wind Load)











**Dynamic Impact Test** 





2/144 Hume Highway, SOMERTON VIC 3062

Tel: (03) 8339 7457 Fax: (03) 8339 7817

ekinaluminium@gmail.com info@ekinal.com